

model **LAS VEGAS**



Las Vegas series - safes with ECB•S certificate
for storage of valuables.



Lock **class C/III**;
Boltwork handle: handle
with escutcheon (protruding 79 mm);
VESTA HANDLE
Handle - stainless steel,
sandblasted

Outside hinges (protruding
43,5 mm) **with special**
hinge plugs
lower hinge - only upper plug
Door opening angle: 180°

SECURITY LEVEL

Class VII
according to norm
EN 1143-1



model **LAS VEGAS**

Multi-walled body **140 mm** thick

Multi-walled door construction **230 mm** thick

ECB•S certificate



NEW BOLTWORK AND LOCKING BOLTS

Locking: **2-way locking bolt system** - including
overlapping profile on the hinge side.

Dual security mechanism: an additional
glass panel which, in the event of an attempted
break-in, activates the locking mechanisms.

Bolt chambers (locking with bolts at the top, at
the bottom and in front part of the door)

Each model prepared for alarm system

Mounting holes: 1 in the floor, 1 blind hole in the
rear wall up to 1/3 height (anchoring material for
1 hole attached)

FIRE PROTECTION

LFS 30

acc. to EN 15659:2019 (E)
norm



model LAS VEGAS

Fire resistance, defined by the **LFS 30** class, provides the stored property with short-term 30-minute protection against fire.

The certification label permanently affixed to the safe is a guarantee of a properly conducted test at specialized certified units in this regard.

Foam seal

Fire seal






Set up your own
safe **4** in steps


model
LAS VEGAS

- 1** Choose the size
- 2** Choose the colour
- 3** Set up your own equipment
- 4** Choose the lock and fitting

Match individual safe size*



Basic sizes

Art. No.	Outer dimensions*			Anchoring		Weight	Shelves	Files	Volume
									
	Height mm	Width mm	Depth mm	Bottom number	Backwall number	Kg	Number	Number	Liters
429000.00	836	796	660	1	1 **	1030	1	8	86
429001.00	936	796	660	1	1 **	1130	1	10	101
429002.00	1036	796	660	1	1 **	1240	1	12	117
429003.00	1136	796	660	1	1 **	1340	2	14	132
429004.00	1336	796	660	1	1 **	1550	2	18	163
429005.00	1636	966	700	1	1 **	2260	3	35	316
429006.00	1936	966	700	1	1 **	2640	4	42	386
429007.00	930	860	700	1	1 **	1250	1	11	128
429008.00	1380	860	700	1	1 **	1770	2	21	216
429009.00	1630	860	700	1	1 **	2060	3	25	265
429010.00	2080	860	700	1	1 **	2570	4	35	354
429011.00	1136	996	850	1	1 **	1920	2	22	299
429012.00	1386	996	850	1	1 **	2270	2	27	387
429013.00	1636	996	850	1	1 **	2620	3	35	474
429014.00	1936	996	850	1	1 **	3040	4	42	579



* In order to maintain the certificate, both the dimensions of the safe, the type of lock and the number and position of the openings in the safe - must comply with the guidelines of the certification institute.

2

Choose
the colour and design

STANDARD RAL 7024



STANDARD RAL 7035



STANDARD RAL 9006



STANDARD RAL 9005




AGAINST SURCHARGE RAL 9010



AGAINST SURCHARGE RAL 3020




COLOURS AVAILABLE FOR THE INTERIOR LINING




GREEN



BEIGE



RED



BLACK



GREY



* other colours from the basic RAL palette also available

Select
Las Vegas safe equipment by destination



Shelves on telescopic rails,
height-adjustable



Frames for files on telescopic rails



Drawers in any amount and of individual height



Inner safes - can be fitted with electronic,
mechanical combination or bank locks



Inner safe,
single door



Inner safe with partition
wall, double door



Frames for files on telescopic
rails



Shelf on telescopic rails



Movable shelf



Shelf for files




Telescopic drawer with
adjustable dividers



Alarm system components /
alarm system

**EMA
READY**
• • •

Preparation for alarm
system



Alarm system (EMA) *

- complete set (also available in single positions).

When installing the alarm system or single components, the safe is equipped with the bottom cover, which diminishes the safe space inside by 30 mm.

* due to the inner dimensions of the safes, the full alarm installation is available from model 429001.00; In model 429000.00 the alarm elements are on request.

Select Las Vegas safe equipment by destination

Preparation for alarm system


Las Vegas series has standard holes that enable the installation of alarm system components.



Alarm system (EMA)

- complete set (also available in single positions).

When installing the alarm system or single components, the safe is equipped with the bottom cover, which diminishes the safe space inside by 30 mm.




The alarm system is an equipment used to receive a signal from alarm detectors, their processing, control and initiation of further transmission which aims to protect people and rooms.

Depending on the components installed the alarm system is designed to:

- reducing the probability of theft, burglary, etc.
- sending alarm signals (to the police or security agencies)
- immediate notification people around one about attempt burglary
- help in the story reconstruction when trying to steal the safe

** available options of changing the lock



810137.00

OPTION WITHOUT ADDITIONAL CHARGE

Key lock
class C/III
2 lower parts of the key
+ 1 upper part



810205.01 / 820203.00

OPTION WITHOUT ADDITIONAL CHARGE

Mechanical combination lock
ZK 1947 La Gard C

Knob
ZK LG 2085



810329.01

OPTION AGAINST SURCHARGE

Electronic lock -
Gator 8000 + DF v. 01

2 locks
1 DF keypad
2 x Gator Signal Box
Gator Power Adapter
Bolt sensor
Power supply



810354.01

OPTION AGAINST SURCHARGE

Electronic lock -
Paxos Advance set 3+5 v. 01

2 locks
1 DIAL housing



810355.01

OPTION AGAINST SURCHARGE

Electronic lock -
Twinlock C800 Business LS 2.1 VdS 3

1 x FlatControl Business LS lock keypad
2 x INSYS Lock 800 LS lock
1 TwinConnect - central power connection
1 TwinXT II
1 12 V power supply 5 m

Choose
the handle and the fitting*

The locks and fittings below do not constitute a complete range, they are only our suggestion.
If none of the presented meets your expectations - please contact us and we will help you choose the right product.



ISS HANDLE THREE-ARMED,
STAINLESS STEEL



ISS HANDLE THREE-ARMED,
GOLD-PLATED



ESCUTCHEON
FOR KEYLOCK
HOLES



VESTA HANDLE
MATT



CAWI HANDLE
MATT





CAWI HANDLE
GLOSS



CAWI HANDLE
GOLD-PLATED



CAWI HANDLE
BLACK





INTER SICHERHEITS SERVICE Sp. z o.o.

T +48 95 723 97 77 - 80	I 66-400 Gorzów Wlkp.
F +48 95 723 97 82	ul. Kobylgórska 2
E biuro@iss.net.pl	www.iss.net.pl